



Distributed by **Mustek**

ARIES RANGE

IP55

WALL MOUNT
CABINETS AND
SWING CABINETS

Dust & Weather Protection
The ARIES range of 19" outdoor
enclosures offers protection
against weather & dust.



Made in South Africa
Manufactured to International Standards
Exported Globally



ARIES RANGE

IP55 Wall Mount Cabinets

Wall units depth: 450mm
4u, 6u, 9u, 12u, 15u, 20u


The ARIES range of 19" outdoor enclosures offers protection against weather & dust. The cabinets are manufactured from powder coated steel. The units comes in either ventilated or non-ventilated versions. Fans are mounted on the bottom gland plate and have washable filters. Cable entry is via the bottom gland plate. The door is sealed with reinforced continuous air cushioned rubber gaskets which are fitted onto a bent double lip gutter. The manufacturing process incorporates sophisticated laser & CNC technologies prior to chemical cleaning and powder coating with a UV resistant coating.



IP55 Swing Cabinets

Wall units depth: 550mm and 650mm
4u, 6u, 9u, 12u, 15u, 20u

The ARIES swing frame cabinet has all the attributes of the single frame cabinet but with the uniquely sealed open rear portion. Special tooling was developed to achieve the complicated all-in-one double bend over waterproof design. Units are manufactured from powder coated steel and come in either ventilated or non-ventilated versions. Fans are mounted on the bottom gland plate and have washable filters. Cable entry is also via the bottom gland plate. The door is sealed with reinforced continuous air cushioned rubber gaskets which are fitted onto a bent double lip gutter. The manufacturing process incorporates sophisticated laser & CNC technologies prior to chemical cleaning. Units are powder coating with a UV resistant coating.



Wall Mount Units 550W x 450D

4u models	Code	U	Height	Vented	kg's
	IP55WM4U-ODG	4	240	NO	15
	IP55WM4U-ODGV	4	240	YES	16

6u models	Code	U	Height	Vented	kg's
	IP55WM6U-ODG	6	330	NO	17
	IP55WM6U-ODGV	6	330	YES	18

9u models	Code	U	Height	Vented	kg's
	IP55WM9U-ODG	9	460	NO	20
	IP55WM9U-ODGV	9	460	YES	21

12u models	Code	U	Height	Vented	kg's
	IP55WM12U-ODG	12	330	NO	25
	IP55WM12U-ODGV	12	330	YES	26

15u models	Code	U	Height	Vented	kg's
	IP55WM15U-ODG	15	730	NO	28
	IP55WM15U-ODGV	15	730	YES	29

20u models	Code	U	Height	Vented	kg's
	IP55WM20U-ODG	20	950	NO	34
	IP55WM20U-ODGV	20	950	YES	35

Swing Units 550W x 550D or 650D

4u models	Code	U	Height	Depth	Vented	kg's
	IP55WM4U.550.ODG	4	240	550	NO	20
	IP55WM4U.650.ODG	4	240	650	NO	23
	IP55WM4U.550.ODGV	4	240	550	YES	21
	IP55WM4U.650.ODGV	4	240	650	YES	24

6u models	Code	U	Height	Depth	Vented	kg's
	IP55WM6U.550.ODG	4	330	550	NO	23
	IP55WM6U.650.ODG	4	330	650	NO	27
	IP55WM6U.550.ODGV	4	330	550	YES	24
	IP55WM6U.650.ODGV	4	330	650	YES	28

9u models	Code	U	Height	Depth	Vented	kg's
	IP55WM9U.550.ODG	9	460	550	NO	28
	IP55WM9U.650.ODG	9	460	650	NO	31
	IP55WM9U.550.ODGV	9	460	550	YES	29
	IP55WM9U.650.ODGV	9	460	650	YES	32

12u models	Code	U	Height	Depth	Vented	kg's
	IP55WM12U.550.ODG	12	600	550	NO	34
	IP55WM12U.650.ODG	12	600	650	NO	36
	IP55WM12U.550.ODGV	12	600	550	YES	35
	IP55WM12U.650.ODGV	12	600	650	YES	37

15u models	Code	U	Height	Depth	Vented	kg's
	IP55WM15U.550.ODG	15	730	550	NO	38
	IP55WM15U.650.ODG	15	730	650	NO	42
	IP55WM15U.550.ODGV	15	730	550	YES	39
	IP55WM15U.650.ODGV	15	730	650	YES	43

20u models	Code	U	Height	Depth	Vented	kg's
	IP55WM20U.550.ODG	20	730	550	NO	45
	IP55WM20U.650.ODG	20	730	650	NO	50
	IP55WM20U.550.ODGV	20	730	550	YES	46
	IP55WM20U.650.ODGV	20	730	650	YES	51